

**Safety Data Sheet****Trick Piano Polish**

(Formula No. TP1)

Section I – Product Identity

Manufacturer: Trick Percussion Products, Inc. www.trickdrums.com
P.O. Box 4861
Buffalo Grove, IL 60089

General Information: 1-847-342-2019

Emergency Phone: 1-800-448-7425

General use: Instrument Finish Maintenance

Section II – Hazardous Identification

Trick Drum Polish is a non-hazardous mixture. No ingredient known to be hazardous is present at 1% or above. No known carcinogens are present at 0.1% or above.

H316 Causes Mild Skin Irritation.

P102 Keep out of reach of children.

NFPA Ratings: Health = 0, Fire = 0, Reactivity = 0

HMIS Ratings: Health = 0, Fire = 0, Reactivity = 0

Section III – Composition

Threshold limit value: None established

Effects of Overexposure

Inhalation: Not a primary entry route.

Skin Contact: Prolonged continual exposure can be irritating. Existing skin conditions may be aggravated by exposure.

Eye Contact: Primary irritant.

Ingestion: Undocumented

Section IV – First-Aid Measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact: Wash thoroughly after use. If skin irritation occurs: get medical advice/attention.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Contact a poison control center or doctor if you feel unwell. Rinse mouth. Never give anything by mouth to an unconscious person.

Section V – Fire Fighting Measures

Explosive Limits: Not a safety factor due to low volatility and water content.

Extinguishing Media: Water, Carbon Dioxide, Dry Chemical, or Foam. Use a method appropriate to primary source of fire.

Special fire fighting procedures: Keep sealed containers cool to avoid pressure buildup.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, toxic oxides of nitrogen and/or corrosive and toxic oxides of sulfur may form if water boils off and product burns.

Unusual Hazards: Water runoff from fire fighting will be slippery.

Section VI – Accidental Release Measure

Small Spill: Absorb liquid in a neutral material. Dispose of in accordance with all local, state, and federal regulations. Solutions may be slippery.

Large Spill: Only trained employees wearing proper equipment should remain in the area until clean-up procedures are completed. Liquid should be pumped to a salvage tank or drum. Remaining liquid should be absorbed in a neutral material and shoveled into a drum for disposal. Dispose of in accordance with all local, state, and federal regulations. Solutions may be slippery.

Environmental releases: For large spills, dike area and recover as liquid or absorb with sand, sawdust or sweeping compound and dispose of in an approved landfill. Certain releases of any substance to the environment are prohibited by law and may require reporting to an environmental agency.

Section VII – Handling and Storage

Keep containers closed. Store in a cool dry area away from sources of ignition. Avoid freezing. Solutions may be slippery.

Section VIII – Exposure Controls/Personal Protection

Trick Drum Polish contains no ingredients considered hazardous by OSHA.
No known carcinogens are present at 0.1% or above.

Wash thoroughly after use.

Respiratory protection not required.

Use supplied air for combustion products.

Wear protective gloves.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Section IX – Physical and Chemical Properties

| | |
|----------------------------|-------------------------------|
| Appearance: | Milky Liquid |
| Odor: | Slightly Fruity Odor |
| pH: | N/A |
| Melting Point: | Liquid at ambient temperature |
| Boiling Point: | Greater than 212°F |
| Flash Point: | N/A |
| Evaporation Rate: | As water |
| Flammability: | Non-Flammable |
| LEL: N/A | UEL: N/A |
| Vapor Pressure: | As water |
| Vapor Density: | Greater than air. |
| Density: | Greater than 1 |
| Solubility in water: | Complete |
| Partition Coefficient: | N/A |
| Auto-Ignition Temperature: | N/A |
| Decomposition Temperature: | N/A |
| Viscosity: | N/A |
| Percent Volatile: | 100% |

Section X – Stability and Reactivity

Chemical Stability: Trick Drum Polish is stable.
Hazardous Reactions: None known.
Hazardous polymerization: Will not occur.
Incompatible materials: Strong oxidizing agents.
Hazardous Decomposition Products: N/A

Section XI – Toxicological Information

This product contains no ingredients considered hazardous by OSHA.

Section XII – Ecological Information

This product contains no ingredients with ecological effects.

Section XIII – Disposal Considerations

Dispose of contents and container in accordance with local, regional, national and international regulations. Trick Drum Polish is similar to many household and industrial cleaning compounds. No disposal method should be used which would pose an environmental or human health threat including any which would contaminate ground or surface waters. Release to sanitary sewer in small amounts is inherent in end use.

Section XIV – Transport Information

DOT Category: Not Regulated.
IATA Category: Not Regulated.

Section XV – Regulatory Information

This product contains no regulated materials.

Section XVI – Other Information

Prepared by:
David Gecic

Signature

Date Prepared
04-01-15